

## PRELIMINARY SHORT SUBDIVISION/PLAT APPLICATION

Property address or general location (cross-streets):		Office Use Only
		Permit
Existing Legal Description(s) (or Tax #): Parcel Nur	mber:	# Associated Permits:
Addition:, Block(s):_		
Lot(s):		
Please describe (attach additional pages if necessa	ary):	
(	<b>, , ,</b>	
	_	
Property Owner:	Contact/Representative (if o	different):
Name:	Name:	
Address:	Address:	
City/St/Zip:	City/St/Zip:	
Phone:	Phone:	
Email:	Email:	
Have any known wetlands or their buffers been ide	ntified on the property? □ N	o □ Yes
If yes, attach wetland report.		
Are there any steep slopes (greater than 15%) on the	ne property? □ No □ Yes	
If yes, attach geotechnical report.		
Does the applicant, or anyone connected with the a member, firm, corporation), have an interest by rea agreement or option in any land within 200 feet of a lf yes, describe:	son of ownership, contract fo	r purchase by
I swear and certify that this information is correct. (Sig	nature of applicant)	· · · · · · · · · · · · · · · · · · ·
I verify the property affected by this application is the exc submitted the application with the written consent of all c		nt(s), or that I have
Print Name:		
Signature:	Date:	

See attached for details on plan submittal requirements and cost.



# Preliminary Short Subdivision/Plat Application Submittal Requirements CHECKLIST

	Completed Short Plat application f	orm (Page 1)	
	Preliminary Short Plat Fees:		
	(Includes \$50.00 sign board depos	sit, refunded when board(s) returned)	
	2 Lots (includes Final Plat Fees)	\$990.88	
	3 – 9 Lots	\$4020.28 (Plus \$50.00 per lot)	
	If the SEPA process is required, an notice is required).	n additional (\$817.84 plus \$100.00 second	
	FYI: Additional fees (for projects of	of 3-9 lots) are due with submittal of a Final	
	Short Plat application and total \$1019.80		
	Critical Areas special reports wher (PTMC 19.05)	re required by the Critical Area Ordinance	
	Stormwater drainage plan in conformance with PTMC 13.32		
	State estimated quantities of fill exported and imported to site.		
	Photocopy of the property deed		
	Photocopy of the plat map*		
	Photocopy of any surveys of recor	d*	
	•	eir owners within 300 feet of the property, said owner's names and addresses typed on velopes.)	
	the construction of 9 or more dwel	for any fill or excavation over 100 cubic yards, ling units, a building 4,000 sq. ft. or more in size nd/or if the lots are located in a critical area. the PCD office or on the website.	
	engineer or land surveyor registered electronic copy of the same (in .pd shall certify on the short plat that it actually surveyed. The preparation Recording Act, Chapter 58.09 RCV or hereafter amended. Upon survey temporary stakes on the property of features of the short plat in the field	ary short plat by a Washington State licensed ed or licensed by the state of Washington. An If format) shall also be provided. The preparer is a true and correct representation of the lands in of the plat shall comply with the Survey W and Chapter 332.130 WAC as now adopted eying the property, the surveyor shall place to enable the city to locate and appraise d. The datum to be used for all surveying and projection name is the state plane; the	



projection spheroid is GRS 1980; the coordinate system is the Washington State Plane North Zone; and the horizontal datum is NAD 83.

	All geographic information portrayed by the preliminary short plat shall be accurate, legible, and drawn to a horizontal scale of 50 feet or fewer to the inch, except that the location sketch and typical street cross-sections may be drawn to any other appropriate scale.
	A preliminary short plat shall be 18 inches by 24 inches in size, allowing one-half-inch borders, and if more than one sheet is needed, each sheet shall be numbered consecutively and an index sheet showing the entire property and orienting the other sheets, at any appropriate scale, shall be provided. In addition to other map submittals, the applicant shall submit one copy of each sheet reduced to 8-½ inches by 11-½ inches in size. If more than one sheet is required, an index sheet showing the entire subdivision with street and highway names and block numbers (if any) shall be provided. Each sheet, including the index sheet, shall be of the above-specified size.
	The dimensions and area of each proposed lot or parcel depicted on the short plat map to accurately show that each lot or parcel contains sufficient area to satisfy minimum zoning and health requirements. The area of land contained in access easements, access panhandles, or pipe-stem configurations shall be included in the lot size computations.
<u>CON</u>	TENTS:
	The name of the proposed subdivision together with the words "Preliminary Short Plat"
	The name and address of the applicant
	The name, address, stamp, and signature of the professional engineer or professional land surveyor who prepared the preliminary plat
	Numeric scale (50 feet or fewer to the inch), graphic scale, true north point, and date of preparation
	Identification of all land, trees and tree canopy intended to be cleared; the trees or tree canopy intended to be preserved per PTMC 19.06.120, Tree Conservation Standards; and the location of the proposed access to the site for clearing and grading during site development or construction; and
	A form for the endorsement of the director of PCD, as follows: APPROVED BY CITY OF PORT TOWNSEND
	Planning & Community Development Director Date
	The preliminary plat shall contain a vicinity sketch sufficient to define the location and boundaries of the proposed subdivision with respect to surrounding property, streets, and other major manmade and natural features.



- Except as otherwise specified in PTMC 18.12.050, the preliminary short plat shall contain the following existing geographic features, drawn lightly in relation to proposed geographic features:
  - 1. The boundaries of the property to be subdivided, and the boundaries of any adjacent property under the same ownership as the land to be subdivided, to be indicated by bold lines;
  - 2. The names of all adjoining property owners, or names of adjoining developers;
  - 3. All existing property lines lying within the proposed subdivision, including lot lines for lots of record which are to be vacated, and all existing property lines for any property lying within 200 feet of the subject property which is under the same ownership as the property to be subdivided [as described in PTMC 18.12.030(C)] shall be shown in broken lines;
  - 4. The location, right-of-way widths, pavement widths, and names of all existing or platted streets, whether public or private, and other public ways within 200 feet of the property to be subdivided;
  - 5. The location, widths, and purposes of any existing easements lying within or adjacent to the proposed subdivision;
  - The location, size, and invert elevations of sanitary sewer lines and stormwater management facilities lying within or adjacent to the proposed subdivision or those which will be connected to as part of the proposed subdivision;
  - 7. The location and size of existing water system facilities including all fire hydrants lying within or adjacent to the proposed subdivision or those which will be connected to as part of the proposed subdivision;
  - 8. The location, size, and description of any other underground and overhead facilities lying within or adjacent to the proposed subdivision;
  - The location of any critical areas and/or buffers as described in PTMC 19.05, including all floodplains, lying within or adjacent to the proposed subdivision;
  - 10. The location, size, and description of all significant trees as defined in PTMC 18.04.060 lying within existing public rights-of-way to be improved within or adjacent to the proposed subdivision;
  - 11. The location of existing sections and municipal corporation boundary lines lying within or adjacent to the proposed subdivision;
  - 12. The location of any well existing within the proposed subdivision;
  - 13. Existing contour lines at intervals of five feet for average slopes exceeding five percent, or at intervals of two feet for average slopes not exceeding five percent. Existing contour lines shall be labeled at intervals not to exceed 20 feet. If applicable, indicate slopes equal to or greater than 15 to 25 percent, equal to or greater than 26 to 39 percent, and equal to or greater than 40 percent, by shading or color;
  - 14. The location of any existing structures lying within the proposed subdivision. Existing structures to be removed shall be indicated by broken



lines, and existing structures not to be removed shall be indicated by solid lines.

- ☐ The preliminary plat shall show the following proposed geographic features; All specifications for public improvements shall conform with the engineering design standards:
  - 1. The boundaries in bold solid lines of all proposed lots, the area and dimensions of each proposed lot, and the proposed identifying number or letter to be assigned to each lot and/or block;
  - 2. The right-of-way location and width, the proposed name of each street, alley, or other public way to be created, and the estimated tentative grades of such streets. Where roadways may exceed the maximum allowable grade or alignment, the public works director may require sufficient data, including centerline profiles and cross-sections if necessary, to determine the feasibility of said roadway;
  - 3. The location, width, and purpose of each easement to be created;
  - 4. The boundaries, dimensions, and area of public and common park and open space areas;
  - 5. Identification of all areas proposed to be dedicated for public use, together with the purpose and any condition of dedication;
  - 6. Proposed final contour lines at intervals of five feet for average slopes exceeding five percent, or at intervals of two feet for average slopes not exceeding five percent. Final contours shall be indicated by solid lines. Contour lines shall be labeled in intervals not to exceed 20 feet;
  - 7. The building envelopes, as defined in PTMC 18.04.060, shall be indicated for each lot;
  - 8. Proposed monumentation;
  - 9. Proposed location and description of all water system improvements, including all proposed fire hydrants;
  - 10. Proposed location and description of all sewer system improvements, including profiles and, if needed, all pump stations and their connections to the existing system:
  - 11. Proposed location and description of all stormwater management system improvements;
  - 12. Proposed street cross-sections, showing proposed bicycle and pedestrian pathways and sidewalks (if applicable);
  - 13. Proposed type and location of street lighting (if applicable);
  - 14. Proposed type and location of landscaping (if applicable);
  - 15. Proposed location and typical cross-section of trails (if applicable);
  - 16. Proposed location and description of transit stops and shelters (if applicable);
  - 17. Proposed restrictions or conditions on development (if applicable);

Upon review of an application, the PCD Director and/or Public Works Director may
require additional pertinent information as needed to satisfy any regulatory
requirements.

For more Short Subdivision information, see Port Townsend Municipal Code Chapter 18.12 or website: <a href="http://www.cityofpt.us/">http://www.cityofpt.us/</a>



\* See Jefferson County Assessor's office, or website <a href="http://www.co.jefferson.wa.us/assessors/parcel/ParcelSearch.asp">http://www.co.jefferson.wa.us/assessors/parcel/ParcelSearch.asp</a>

